



**Minnesota Pollution  
Control Agency**

520 Lafayette Road North  
St. Paul, MN 55155-4194

# MS4 SWPPP Application for Reauthorization

for the NPDES/SDS General Small Municipal Separate  
Storm Sewer System (MS4) Permit MNR040000  
reissued with an effective date of August 1, 2013  
Stormwater Pollution Prevention Program (SWPPP) Document

Doc Type: Permit Application

**Instructions:** This application is for authorization to discharge stormwater associated with Municipal Separate Storm Sewer Systems (MS4s) under the National Pollutant Discharge Elimination System/State Disposal System (NPDES/SDS) Permit Program. **No fee** is required with the submittal of this application. Please refer to "Example" for detailed instructions found on the Minnesota Pollution Control Agency (MPCA) MS4 website at <http://www.pca.state.mn.us/ms4>.

**Submittal:** This MS4 SWPPP Application for Reauthorization form must be submitted electronically via e-mail to the MPCA at [ms4permitprogram.pca@state.mn.us](mailto:ms4permitprogram.pca@state.mn.us) from the person that is duly authorized to certify this form. All questions with an asterisk (\*) are required fields. All applications will be returned if required fields are not completed.

**Questions:** Contact Claudia Hochstein at 651-757-2881 or [claudia.hochstein@state.mn.us](mailto:claudia.hochstein@state.mn.us), Dan Miller at 651-757-2246 or [daniel.miller@state.mn.us](mailto:daniel.miller@state.mn.us), or call toll-free at 800-657-3864.

## General Contact Information (\*Required fields)

### MS4 Owner (with ownership or operational responsibility, or control of the MS4)

\*MS4 permittee name: City of Monticello \*County: Wright  
(city, county, municipality, government agency or other entity)

\*Mailing address: 505 Walnut Street, Suite 1

\*City: Monticello \*State: MN \*Zip code: 55362

\*Phone (including area code): 763-95-2711 \*E-mail: sbisson@wsb.eng

### MS4 General contact (with Stormwater Pollution Prevention Program [SWPPP] implementation responsibility)

\*Last name: Bisson \*First name: Shibani  
(department head, MS4 coordinator, consultant, etc.)

\*Title: City Engineer

\*Mailing address: 505 Walnut Street, Suite 1

\*City: Monticello \*State: MN \*Zip code: 55362

\*Phone (including area code): 763-295-2711 \*E-mail: sbisson@wsb.eng

### Preparer information (complete if SWPPP application is prepared by a party other than MS4 General contact)

Last name: \_\_\_\_\_ First name: \_\_\_\_\_  
(department head, MS4 coordinator, consultant, etc.)

Title: \_\_\_\_\_

Mailing address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip code: \_\_\_\_\_

Phone (including area code): \_\_\_\_\_ E-mail: \_\_\_\_\_

## Verification

1. I seek to continue discharging stormwater associated with a small MS4 after the effective date of this Permit, and shall submit this MS4 SWPPP Application for Reauthorization form, in accordance with the schedule in Appendix A, Table 1, with the SWPPP document completed in accordance with the Permit (Part II.D.). ☒ Yes
2. I have read and understand the NPDES/SDS MS4 General Permit and certify that we intend to comply with all requirements of the Permit. ☒ Yes

## Certification (All fields are required)

---

- ☒ Yes - I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted.

*I certify that based on my inquiry of the person, or persons, who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.*

*I am aware that there are significant penalties for submitting false information, including the possibility of civil and criminal penalties.*

This certification is required by Minn. Stat. §§ 7001.0070 and 7001.0540. The authorized person with overall, MS4 legal responsibility must certify the application (principal executive officer or a ranking elected official).

By typing my name in the following box, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing my application.

Name: Shibani Bisson

*(This document has been electronically signed)*

Title: City Engineer

Date (mm/dd/yyyy): 10/30/2013

Mailing address: 505 Walnut Street, Suite 1

City: Monticello

State: MN

Zip code: 55362

Phone (including area code): 763-295-2711

E-mail: sbisson@wsbeng.com

**Note:** The application will not be  
processed without certification.

# Stormwater Pollution Prevention Program Document

## I. Partnerships: (Part II.D.1)

- A. List the **regulated small MS4(s)** with which you have established a partnership in order to satisfy one or more requirements of this Permit. Indicate which Minimum Control Measure (MCM) requirements or other program components that each partnership helps to accomplish (List all that apply). Check the box below if you currently have no established partnerships with other regulated MS4s. If you have more than five partnerships, hit the tab key after the last line to generate a new row.

☒ No partnerships with regulated small MS4s

Name and description of partnership	MCM/Other permit requirements involved

- B. If you have additional information that you would like to communicate about your partnerships with other regulated small MS4(s), provide it in the space below, or include an attachment to the SWPPP Document, with the following file naming convention: *MS4NameHere\_Partnerships*.

*We currently have no partnerships with other MS4s. We will set up a meeting with Wright County Soil and Water Conservation District.*

## II. Description of Regulatory Mechanisms: (Part II.D.2)

### Illicit discharges

- A. Do you have a regulatory mechanism(s) that effectively prohibits non-stormwater discharges into your small MS4, except those non-stormwater discharges authorized under the Permit (Part III.D.3.b.)? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

☒ Ordinance ☐ Contract language  
☐ Policy/Standards ☐ Permits  
☐ Rules  
☐ Other, explain: \_\_\_\_\_

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

[http://www.ci.monticello.mn.us/vertical/sites/%7B46185197-6086-4078-ADDC-0F3918715C4C%7D/uploads/City\\_Ordinance\\_-\\_Title\\_7\\_-\\_Chapt\\_10\\_\(Illicit\\_Discharge\).pdf](http://www.ci.monticello.mn.us/vertical/sites/%7B46185197-6086-4078-ADDC-0F3918715C4C%7D/uploads/City_Ordinance_-_Title_7_-_Chapt_10_(Illicit_Discharge).pdf)

☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere\_IDDEreg*.

2. If **no**:

Describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

## Construction site stormwater runoff control

- A. Do you have a regulatory mechanism(s) that establishes requirements for erosion and sediment controls and waste controls? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

- ☒ Ordinance ☒ Contract language  
☐ Policy/Standards ☒ Permits  
☐ Rules  
☒ Other, explain: Design guidelines

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

<http://www.ci.monticello.mn.us/vertical/sites/%7B46185197-6086-4078-ADDC-0F3918715C4C%7D/uploads/%7B8CC818ED-60E8-443B-B682-FF1801A68CD5%7D.PDF>

<http://www.ci.monticello.mn.us/vertical/Sites/%7B46185197-6086-4078-ADDC-0F3918715C4C%7D/uploads/613F6819-C4FC-4A33-8077-34B6B6229FF4.pdf>

- ☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere\_CSWreg*.

- B. Is your regulatory mechanism at least as stringent as the MPCA general permit to Discharge Stormwater Associated with Construction Activity (as of the effective date of the MS4 Permit)? ☐ Yes ☒ No

If you answered **yes** to the above question, proceed to C.

If you answered **no** to either of the above permit requirements listed in A. or B., describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

*Within 12 months the city will review ordinances to insure they meet the new construction general permit.*

- C. Answer **yes** or **no** to indicate whether your regulatory mechanism(s) requires owners and operators of construction activity to develop site plans that incorporate the following erosion and sediment controls and waste controls as described in the Permit (Part III.D.4.a.(1)-(8)), and as listed below:

- |  |   |
|--|---|
| 1. Best Management Practices (BMPs) to minimize erosion.   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 2. BMPs to minimize the discharge of sediment and other pollutants.  | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 3. BMPs for dewatering activities.   | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 4. Site inspections and records of rainfall events   | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 5. BMP maintenance   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 6. Management of solid and hazardous wastes on each project site.  | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 7. Final stabilization upon the completion of construction activity, including the use of perennial vegetative cover on all exposed soils or other equivalent means. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 8. Criteria for the use of temporary sediment basins.  | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

*Within 12 months of permit coverage the city will review current ordinances and make revisions where necessary to meet the requirements of the new permit.*

## Post-construction stormwater management

- A. Do you have a regulatory mechanism(s) to address post-construction stormwater management activities? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

- ☐ Ordinance ☐ Contract language

- ☒ Policy/Standards      ☒ Permits  
☐ Rules  
☐ Other, explain: Design guidelines
- 

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

<http://www.ci.monticello.mn.us/vertical/Sites/%7B46185197-6086-4078-ADDC-0F3918715C4C%7D/uploads/613F6819-C4FC-4A33-8077-34B6B6229FF4.pdf>

- ☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere\_PostCSWreg*.

- B. Answer **yes** or **no** below to indicate whether you have a regulatory mechanism(s) in place that meets the following requirements as described in the Permit (Part III.D.5.a.):

1. **Site plan review:** Requirements that owners and/or operators of construction activity submit site plans with post-construction stormwater management BMPs to the permittee for review and approval, prior to start of construction activity. ☒ Yes   ☐ No
2. **Conditions for post construction stormwater management:** Requires the use of any combination of BMPs, with highest preference given to Green Infrastructure techniques and practices (e.g., infiltration, evapotranspiration, reuse/harvesting, conservation design, urban forestry, green roofs, etc.), necessary to meet the following conditions on the site of a construction activity to the Maximum Extent Practicable (MEP):
  - a. For new development projects – no net increase from pre-project conditions (on an annual average basis) of: ☐ Yes   ☒ No
    - 1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).
    - 2) Stormwater discharges of Total Suspended Solids (TSS).
    - 3) Stormwater discharges of Total Phosphorus (TP).
  - b. For redevelopment projects – a net reduction from pre-project conditions (on an annual average basis) of: ☐ Yes   ☒ No
    - 1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).
    - 2) Stormwater discharges of TSS.
    - 3) Stormwater discharges of TP.
3. **Stormwater management limitations and exceptions:**
  - a. Limitations
    - 1) Prohibit the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) when the infiltration structural stormwater BMP will receive discharges from, or be constructed in areas: ☐ Yes   ☒ No
      - a) Where industrial facilities are not authorized to infiltrate industrial stormwater under an NPDES/SDS Industrial Stormwater Permit issued by the MPCA.
      - b) Where vehicle fueling and maintenance occur.
      - c) With less than three (3) feet of separation distance from the bottom of the infiltration system to the elevation of the seasonally saturated soils or the top of bedrock.
      - d) Where high levels of contaminants in soil or groundwater will be mobilized by the infiltrating stormwater.
    - 2) Restrict the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)), without higher engineering review, sufficient to provide a functioning treatment system and prevent adverse impacts to groundwater, when the infiltration device will be constructed in areas: ☐ Yes   ☒ No
      - a) With predominately Hydrologic Soil Group D (clay) soils.
      - b) Within 1,000 feet up-gradient, or 100 feet down-gradient of active karst features.
      - c) Within a Drinking Water Supply Management Area (DWSMA) as defined in Minn. R. 4720.5100, subp. 13.
      - d) Where soil infiltration rates are more than 8.3 inches per hour.
    - 3) For linear projects where the lack of right-of-way precludes the installation of volume control practices that meet the conditions for post-construction stormwater management ☐ Yes   ☒ No

in the Permit (Part III.D.5.a(2)), the permittee's regulatory mechanism(s) may allow exceptions as described in the Permit (Part III.D.5.a(3)(b)). The permittee's regulatory mechanism(s) shall ensure that a reasonable attempt be made to obtain right-of-way during the project planning process.

4. **Mitigation provisions:** The permittee's regulatory mechanism(s) shall ensure that any stormwater discharges of TSS and/or TP not addressed on the site of the original construction activity are addressed through mitigation and, at a minimum, shall ensure the following requirements are met:
- a. Mitigation project areas are selected in the following order of preference: ☐ Yes ☒ No
    - 1) Locations that yield benefits to the same receiving water that receives runoff from the original construction activity.
    - 2) Locations within the same Minnesota Department of Natural Resource (DNR) catchment area as the original construction activity.
    - 3) Locations in the next adjacent DNR catchment area up-stream
    - 4) Locations anywhere within the permittee's jurisdiction.
  - b. Mitigation projects must involve the creation of new structural stormwater BMPs or the retrofit of existing structural stormwater BMPs, or the use of a properly designed regional structural stormwater BMP. ☐ Yes ☒ No
  - c. Routine maintenance of structural stormwater BMPs already required by this permit cannot be used to meet mitigation requirements of this part. ☐ Yes ☒ No
  - d. Mitigation projects shall be completed within 24 months after the start of the original construction activity. ☐ Yes ☒ No
  - e. The permittee shall determine, and document, who will be responsible for long-term maintenance on all mitigation projects of this part. ☐ Yes ☒ No
  - f. If the permittee receives payment from the owner and/or operator of a construction activity for mitigation purposes in lieu of the owner or operator of that construction activity meeting the conditions for post-construction stormwater management in Part III.D.5.a(2), the permittee shall apply any such payment received to a public stormwater project, and all projects must be in compliance with Part III.D.5.a(4)(a)-(e). ☐ Yes ☒ No
5. **Long-term maintenance of structural stormwater BMPs:** The permittee's regulatory mechanism(s) shall provide for the establishment of legal mechanisms between the permittee and owners or operators responsible for the long-term maintenance of structural stormwater BMPs not owned or operated by the permittee, that have been implemented to meet the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)). This only includes structural stormwater BMPs constructed after the effective date of this permit and that are directly connected to the permittee's MS4, and that are in the permittee's jurisdiction. The legal mechanism shall include provisions that, at a minimum:
- a. Allow the permittee to conduct inspections of structural stormwater BMPs not owned or operated by the permittee, perform necessary maintenance, and assess costs for those structural stormwater BMPs when the permittee determines that the owner and/or operator of that structural stormwater BMP has not conducted maintenance. ☒ Yes ☐ No
  - b. Include conditions that are designed to preserve the permittee's right to ensure maintenance responsibility, for structural stormwater BMPs not owned or operated by the permittee, when those responsibilities are legally transferred to another party. ☐ Yes ☒ No
  - c. Include conditions that are designed to protect/preserve structural stormwater BMPs and site features that are implemented to comply with the Permit (Part III.D.5.a(2)). If site configurations or structural stormwater BMPs change, causing decreased structural stormwater BMP effectiveness, new or improved structural stormwater BMPs must be implemented to ensure the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) continue to be met. ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within twelve (12) months of the date permit coverage is extended, these permit requirements are met:

*All ordinance will be evaluated and updated accordingly to meet the requirement of the MS4 permit issued on 8/1/2013.*

*B.2.a., B.2.b: Amend current post-construction stormwater ordinance, which does not include anything related to volume-control, to incorporate Permit requirements. We will consider additional changes to our current ordinance to give clear guidance to developers and redevelopers in the community.*

*B.3.a.1: We will amend the ordinance on the same schedule as the items in B.2.a and B.2.b.*

*B.3.a.3: We will amend the ordinance to include the exceptions for linear projects as elaborated in the Permit (Part III.D.5.a(3)(b)). This will occur on the same schedule as the items above.*

B.4.c: Currently, our ordinance contains nothing about whether routine maintenance can be used towards mitigation requirements.

B.4.e: We will review and update code where appropriate to identify and document who is responsible for long-term maintenance of mitigation requirements.

B.4.f: We will draft and consider language mandating that money received from an owner/operator of construction activity, in lieu of meeting the conditions for post-construction stormwater management, shall be used for a public stormwater project. We will work on this amendment to our current post-construction stormwater ordinance on the same timeline as the items listed above.

B.5.b: Within 12 months we will review and update our city code to include the amendments to our post-construction stormwater ordinance will be language that will ensure maintenance responsibility on structural stormwater BMPs that we do not own or operate. We plan to do this by drafting language that requires maintenance responsibility for structural stormwater BMPs to be tied to property records.

### III. Enforcement Response Procedures (ERPs): (Part II.D.3)

A. Do you have existing ERPs that satisfy the requirements of the Permit (Part III.B.)? ☐ Yes ☒ No

1. If **yes**, attach them to this form as an electronic document, with the following file naming convention: *MS4NameHere\_ERPs*.
2. If **no**, describe the tasks and corresponding schedules that will be taken to assure that, with twelve (12) months of the date permit coverage is extended, these permit requirements are met:

*We will confer with appropriate staff to provide written procedures for establishing ERPs within 12 months of permit reissuance.*

B. Describe your ERPs:

*We currently do not have ERPs, see above implementation plan.*

### IV. Storm Sewer System Map and Inventory: (Part II.D.4.)

A. Describe how you manage your storm sewer system map and inventory:

*We have staff in house that keep our map and database current. The city owns two handheld GPS units. Our map shows all structures along with pipes 12" or larger.*

B. Answer **yes** or **no** to indicate whether your storm sewer system map addresses the following requirements from the Permit (Part III.C.1.a-d), as listed below:

1. The permittee's entire small MS4 as a goal, but at a minimum, all pipes 12 inches or greater in diameter, including stormwater flow direction in those pipes. ☒ Yes ☐ No
2. Outfalls, including a unique identification (ID) number assigned by the permittee, and an associated geographic coordinate. ☒ Yes ☐ No
3. Structural stormwater BMPs that are part of the permittee's small MS4. ☒ Yes ☐ No
4. All receiving waters. ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

C. Answer **yes** or **no** to indicate whether you have completed the requirements of 2009 Minnesota Session Law, Ch. 172. Sec. 28: with the following inventories, according to the specifications of the Permit (Part III.C.2.a.-b.), including:

1. All ponds within the permittee's jurisdiction that are constructed and operated for purposes of water quality treatment, stormwater detention, and flood control, and that are used for the collection of stormwater via constructed conveyances. ☒ Yes ☐ No
2. All wetlands and lakes, within the permittee's jurisdiction, that collect stormwater via constructed conveyances. ☒ Yes ☐ No

D. Answer **yes** or **no** to indicate whether you have completed the following information for each feature inventoried.

1. A unique identification (ID) number assigned by the permittee. ☒ Yes ☐ No
2. A geographic coordinate. ☒ Yes ☐ No
3. Type of feature (e.g., pond, wetland, or lake). This may be determined by using best professional judgment. ☒ Yes ☐ No

If you have answered **yes** to all above requirements, and you have already submitted the Pond Inventory Form to the MPCA, then you do not need to resubmit the inventory form below.

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

- E. Answer **yes** or **no** to indicate if you are attaching your pond, wetland and lake inventory to the MPCA ☐ Yes ☒ No on the form provided on the MPCA website at: <http://www.pca.state.mn.us/ms4>, according to the specifications of Permit (Part III.C.2.b.(1)-(3)). Attach with the following file naming convention: *MS4NameHere\_inventory*.

If you answered **no**, the inventory form must be submitted to the MPCA MS4 Permit Program within 12 months of the date permit coverage is extended.

## V. Minimum Control Measures (MCMs) (Part II.D.5)

### A. MCM1: Public education and outreach

1. The Permit requires that, within 12 months of the date permit coverage is extended, existing permittees revise their education and outreach program that focuses on illicit discharge recognition and reporting, as well as other specifically selected stormwater-related issue(s) of high priority to the permittee during this permit term. Describe your **current** educational program, including **any high-priority topics included**:

*Our city provides brochures on our city website and articles in the newsetter pertaining to car washing, pet waste, raking grass clippings, etc. The City also provides a local business (Cargill) with maps for their annual pond cleanup.*

2. List the categories of BMPs that address your public education and outreach program, including the distribution of educational materials and a program implementation plan. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the U.S. Environmental Protection Agency's (EPA) *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Brochures	Number of website hits
City Newsletter	Number sent to residents
Stormwater Management Website	Number of website hits
Social Media	Number of subscribers
E-News - Monthly	Number of subscribers
BMP categories to be implemented	Measurable goals and timeframes

3. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

*TBD and evaluated: Admin staff or Public Works/Engineering Staff*

### B. MCM2: Public participation and involvement

1. The Permit (Part III.D.2.a.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement a public participation/involvement program to solicit public input on the SWPPP. Describe your current program:

*Each year we present and hear comments on our Stormwater Pollution Prevention Program. We usually do this in the spring. We put a notice in the local paper 30 days prior to the meeting,*



- List the categories of BMPs that address your public participation/involvement program, including solicitation and documentation of public input on the SWPPP. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Annual Meeting	Number of attendees
Appropriate Public Notice	Placed ad in local newspaper, advertised on our cable access channel, e-news, and our website scroller 30 days prior to annual meeting.
Engineering Website	Website Hits
BMP categories to be implemented	Measurable goals and timeframes

- Do you have a process for receiving and documenting citizen input? ☒ Yes ☐ No

If you answered **no** to the above permit requirement, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

- Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

*Public Works/Engineering Staff*

### C. MCM 3: Illicit discharge detection and elimination

- The Permit (Part III.D.3.) requires that, within 12 months of the date permit coverage is extended, existing permittees revise their current program as necessary, and continue to implement and enforce a program to detect and eliminate illicit discharges into the small MS4. Describe your current program:

*The City has an ordinance that prohibits illicit discharges and connections. City Staff and public works employees are trained to look for any signs of an illicit discharge while on the job. ERPs guide what actions the City can take after an illicit discharge has been identified.*

- Does your Illicit Discharge Detection and Elimination Program meet the following requirements, as found in the Permit (Part III.D.3.c.-g.)?

- Incorporation of illicit discharge detection into all inspection and maintenance activities conducted under the Permit (Part III.D.6.e.-f.) Where feasible, illicit discharge inspections shall be conducted during dry-weather conditions (e.g., periods of 72 or more hours of no precipitation). ☒ Yes ☐ No
- Detecting and tracking the source of illicit discharges using visual inspections. The permittee may also include use of mobile cameras, collecting and analyzing water samples, and/or other detailed procedures that may be effective investigative tools. ☒ Yes ☐ No
- Training of all field staff, in accordance with the requirements of the Permit (Part III.D.6.g.(2)), in illicit discharge recognition (including conditions which could cause illicit discharges), and reporting illicit discharges for further investigation. ☐ Yes ☒ No
- Identification of priority areas likely to have illicit discharges, including at a minimum, evaluating land use associated with business/industrial activities, areas where illicit discharges have been identified in the past, and areas with storage of large quantities of significant materials that could result in an illicit discharge. ☒ Yes ☐ No
- Procedures for the timely response to known, suspected, and reported illicit discharges. ☒ Yes ☐ No

- f. Procedures for investigating, locating, and eliminating the source of illicit discharges. ☒ Yes ☐ No
- g. Procedures for responding to spills, including emergency response procedures to prevent spills from entering the small MS4. The procedures shall also include the immediate notification of the Minnesota Department of Public Safety Duty Officer, if the source of the illicit discharge is a spill or leak as defined in Minn. Stat. § 115.061. ☒ Yes ☐ No
- h. When the source of the illicit discharge is found, the permittee shall use the ERPs required by the Permit (Part III.B.) to eliminate the illicit discharge and require any needed corrective action(s). ☐ Yes ☒ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

*We currently do not have written procedures for responding to illicit discharge. Within 12 months of the date permit coverage is extended. We will evaluate and incorporate these into our program. Along with adding industrial businesses onto our high priority map. We will determine ERPs for illicit discharges. Within the next 12 months we will establish training for staff, which will be documented.*

3. List the categories of BMPs that address your illicit discharge, detection and elimination program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Ordinance	Review ordinance yearly to ensure that it continues to meet the needs of the City and legal requirements.
Inspections	City employees will continue to be on the lookout for illicit discharges while they perform their normal duties and inspections occur when we receive reports of an illicit discharge.
BMP categories to be implemented	Measurable goals and timeframes
Training	We will hold at least one training for applicable staff within the next year in regards to spotting & handling illicit discharges. Training will be documented, scanned and retained electronically.
Flow Chart	We will design a flow chart (chain of command) for illicit discharges and distribute to applicable staff.

4. Do you have procedures for record-keeping within your Illicit Discharge Detection and Elimination (IDDE) program as specified within the Permit (Part III.D.3.h.)? ☐ Yes ☒ No
- If you answered **no**, indicate how you will develop procedures for record-keeping of your Illicit Discharge, Detection and Elimination Program, within 12 months of the date permit coverage is extended:
- We will train staff and create an Excel database that will contain pertinent information regarding illicit discharges. We will make a flow chart so all staff knows where to send illicit discharge information for reporting and inspecting.*
5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

*Public Works/ Engineering Department*

#### D. MCM 4: Construction site stormwater runoff control

1. The Permit (Part III.D.4) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a construction site stormwater runoff control program. Describe your current program:

2. Does your program address the following BMPs for construction stormwater erosion and sediment control as required in the Permit (Part III.D.4.b.):
- Have you established written procedures for site plan reviews that you conduct prior to the start of construction activity? ☐ Yes ☒ No
  - Does the site plan review procedure include notification to owners and operators proposing construction activity that they need to apply for and obtain coverage under the MPCA's general permit to *Discharge Stormwater Associated with Construction Activity No. MN R100001*? ☐ Yes ☒ No
  - Does your program include written procedures for receipt and consideration of reports of noncompliance or other stormwater related information on construction activity submitted by the public to the permittee? ☐ Yes ☒ No
  - Have you included written procedures for the following aspects of site inspections to determine compliance with your regulatory mechanism(s):
    - Does your program include procedures for identifying priority sites for inspection? ☐ Yes ☒ No
    - Does your program identify a frequency at which you will conduct construction site inspections? ☒ Yes ☐ No
    - Does your program identify the names of individual(s) or position titles of those responsible for conducting construction site inspections? ☒ Yes ☐ No
    - Does your program include a checklist or other written means to document construction site inspections when determining compliance? ☒ Yes ☐ No
  - Does your program document and retain construction project name, location, total acreage to be disturbed, and owner/operator information? ☒ Yes ☐ No
  - Does your program document stormwater-related comments and/or supporting information used to determine project approval or denial? ☒ Yes ☐ No
  - Does your program retain construction site inspection checklists or other written materials used to document site inspections? ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

*Within 12 months of permit coverage the city will have reviewed and updated our procedures and code to meet the requirements of the MS4 general permit.*

*D.2.a., The city uses the MPCA SWPPP Checklist for site plan reviews but does not have any established written procedures. The City will develop written procedures for site plan reviews as described in the Permit (Part III.D.4.b). Procedures will be in place within 12 months following the date permit coverage is extended.*

*D.2.b., The City will include a notification to owners and operators proposing construction activity to apply for and obtain coverage under the MPCA's construction activity permit into the written procedures from (D.2.a) as described in the Permit (Part III.D.4.b). Notification will be included in the procedures within 12 months following the date permit coverage is extended.*

*D.2.c., The City will develop written procedures for receipt and consideration of reports of noncompliance or other stormwater related information on construction activity submitted by the public as described in the Permit (Part III.D.4.c). Procedures will be in place within 12 months following the date permit coverage is extended.*

*D.2.d., City will develop written procedures for conducting site ESC inspections as described in the Permit (Part III.D.4.d). Procedures will be in place within 12 months following the date permit coverage is extended*

3. List the categories of BMPs that address your construction site stormwater runoff control program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Site Plan Review	City Engineering Staff utilizes SWPPP Checklist (wq-strm2-47) for review of NPDES Erosion Control Permits submitted to the department for review.
Erosion Protection Maintenance Memo to Builders	An erosion control handout, which explains how to properly install a silt fence and other erosion control BMPs is given to the application when a building permit is picked up.

<b>BMP categories to be implemented</b>	<b>Measurable goals and timeframes</b>
<i>Permit Update</i>	<i>Update the City Grading, Building, and ROW permits and Construction Site Stormwater Runoff ordinance to meet MPCA General Permit to Discharge Stormwater Associate with Construction Activity within 12 months following the date permit coverage is extended</i>
<i>Checklist for Site Plan Review</i>	<i>Update procedures for site plan review annually and incorporate changes into the review process.</i>
<i>Prioritize Inspections</i>	<i>Ensure at least 10% of inspections conducted annually are performed at deemed high priority inspection sites (e.g., near sensitive receiving waters, projects larger than 5 acres)</i>

4. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Engineering/Building Departments

#### E. MCM 5: Post-construction stormwater management

1. The Permit (Part III.D.5.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a post-construction stormwater management program. Describe your current program:

*This portion of the Cities stormwater program is under review and will be updated to meet the requirements of the MS4 permit within 12 months of the date permit coverage is extended.*

2. Have you established written procedures for site plan reviews that you will conduct prior to the start of construction activity? ☐ Yes ☒ No
3. Answer **yes** or **no** to indicate whether you have the following listed procedures for documentation of post-construction stormwater management according to the specifications of Permit (Part III.D.5.c.):
- a. Any supporting documentation that you use to determine compliance with the Permit (Part III.D.5.a), including the project name, location, owner and operator of the construction activity, any checklists used for conducting site plan reviews, and any calculations used to determine compliance? ☐ Yes ☒ No
- b. All supporting documentation associated with mitigation projects that you authorize? ☐ Yes ☒ No
- c. Payments received and used in accordance with Permit (Part III.D.5.a.(4)(f))? ☐ Yes ☒ No
- d. All legal mechanisms drafted in accordance with the Permit (Part III.D.5.a.(5)), including date(s) of the agreement(s) and names of all responsible parties involved? ☐ Yes ☒ No

If you answered **no** to any of the above permit requirements, describe the steps that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

*E.2., The City uses the MPCA SWPPP Checklist for site plan reviews but does not have any established written procedures. The City will develop written procedures for site plan reviews as described in the Permit (Part III.D.5.b.). Procedures will be in place within 12 months following the date permit coverage is extended.*

*E.3., The City will review or create written procedures for documentation of post-construction stormwater management as described in the Permit (Part III.D.5.c.). Procedures will be in place within 12 months following the date permit coverage is extended.*

4. List the categories of BMPs that address your post-construction stormwater management program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). If you have more than five categories, hit the tab key after the last line to generate a new row.

<b>Established BMP categories</b>	<b>Measurable goals and timeframes</b>
-----------------------------------	--

Develop & Implement Structural & Non-Structural BMP's for post construction	Continue implementing 2013 through May 31, 2018
Implement the requirements of the Comprehensive Water Resource Management Plan	Continue implementing 2013 through May 31, 2018
Continue to annually inspect outfalls, sediment basins, and ponds on an as needed basis.	Continue implementing 2013 through May 31, 2018

BMP categories to be implemented	Measurable goals and timeframes
<i>Update ordinance to meet new permit requirements</i>	<i>Within 12 months of extension of permit coverage, revise ordinance to meet permit requirements</i>
<i>Develop Written Procedures for Site Plan Review</i>	<i>Within 12 months of extension of permit coverage, develop site plan review procedures that must be completed prior to the start of construction activity</i>
<i>Document Pertinent Project Information</i>	<i>Maintain all related documents pertaining to each new or redeployment project in more user-friendly filing system for better records management. Implement within 6 months.</i>
<i>BMP Construction Guidance</i>	<i>Develop BMP Construction Guidance document for developers and contractors within 12 months of permit coverage extension.</i>

5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

*Site Review Staff/Engineering Departmentt*

#### F. MCM 6: Pollution prevention/good housekeeping for municipal operations

1. The Permit (Part III.D.6.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement an operations and maintenance program that prevents or reduces the discharge of pollutants from the permittee owned/operated facilities and operations to the small MS4. Describe your current program:

*The City of Monticello currently has it's outfalls/sediment basins/ponds inspections completed from the 2006 permit. The City will document stockpile and material handling area inspections. City staff sweeps the streets twice a year, at a minimum.*

2. Do you have a facilities inventory as outlined in the Permit (Part III.D.6.a.)? ☒ Yes ☐ No
3. If you answered **no** to the above permit requirement in question 2, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

*Facilities inventory will be evaluated and updated as needed.*

4. List the categories of BMPs that address your pollution prevention/good housekeeping for municipal operations program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. For an explanation of measurable goals, refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

**If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Street Sweeping	Twice per year; 2013 – May 31, 2018
Annual Inspection of Structural Pollution Control Devices	Minimum of once/year; 2013 - May 31, 2018
Inspect MS4 Outfalls, Sediment Basins, & Ponds	On an as needed basis; 2013 - May 31, 2018
Inspect all exposed stockpiles, storage and material	Minimum once/year; 2013 – May 31, 2018



handling areas	
Landscaping & Lawn Care Practices Review	Minimum once/year; 2013-May 31, 2018
Road Salt Application Review	Minimum once/year; 2013 – May 31, 2018
Inspection follow-up to determine repairs, replacement, maintenance, etc	Continue to implement through May 31, 2018
Record all stormsewer & pond inspections annually	Continue to implement through May 31, 2018
<b>BMP categories to be implemented</b>	<b>Measurable goals and timeframes</b>
<i>Develop spill Prevention &amp; Control Plans for Municipal Facilities</i>	<i>Develop plans describing spill prevention and control procedures by the end of Year 1. Conduct annual spill prevention and response training sessions to all municipal employees. Distribute education materials, i.e. posters and pamphlets, to each municipal facility by the end of year 2.</i>
<i>Increase Inspection Frequency of Maintenance Yard</i>	<i>Once weekly and after all rain events utilizing a checklist for the inspection that documents findings and allows staff to compare to previous inspections</i>
<i>Facility Inventory</i>	<i>Continue to develop facilities inventory to include potential pollutants. Create a map of all identified facilities.</i>
<i>Pond Assessment Procedures &amp; Schedule</i>	<i>In year 1, develop procedures for determining TSS and TP treatment effectiveness of city owned ponds use for treatment of stormwater. Implement schedule in year 2-5</i>

5. Does discharge from your MS4 affect a Source Water Protection Area (Permit Part III.D.6.c.)? ☒ Yes ☐ No

a. If **no**, continue to 6.

b. If **yes**, the Minnesota Department of Health (MDH) is in the process of mapping the following items. Maps are available at <http://www.health.state.mn.us/divs/eh/water/swp/maps/index.htm>. Is a map including the following items available for your MS4:

1) Wells and source waters for drinking water supply management areas identified as vulnerable under Minn. R. 4720.5205, 4720.5210, and 4720.5330? ☒ Yes ☐ No

2) Source water protection areas for surface intakes identified in the source water assessments conducted by or for the Minnesota Department of Health under the federal Safe Drinking Water Act, U.S.C. §§ 300j – 13? ☒ Yes ☐ No

c. Have you developed and implemented BMPs to protect any of the above drinking water sources? ☒ Yes ☐ No

6. Have you developed procedures and a schedule for the purpose of determining the TSS and TP treatment effectiveness of all permittee owned/operated ponds constructed and used for the collection and treatment of stormwater, according to the Permit (Part III.D.6.d.)? ☐ Yes ☒ No

7. Do you have inspection procedures that meet the requirements of the Permit (Part III.D.6.e.(1)-(3)) for structural stormwater BMPs, ponds and outfalls, and stockpile, storage and material handling areas? ☐ Yes ☒ No

8. Have you developed and implemented a stormwater management training program commensurate with each employee's job duties that:

a. Addresses the importance of protecting water quality? ☐ Yes ☒ No

b. Covers the requirements of the permit relevant to the duties of the employee? ☐ Yes ☒ No

c. Includes a schedule that establishes initial training for new and/or seasonal employees and recurring training intervals for existing employees to address changes in procedures, practices, techniques, or requirements? ☐ Yes ☒ No

9. Do you keep documentation of inspections, maintenance, and training as required by the Permit (Part III.D.6.h.(1)-(5))? ☐ Yes ☒ No

If you answered **no** to any of the above permit requirements listed in **Questions 5 – 9**, then describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

*The city documents inspections and maintenance but we do not have a written training policy in place. The city plans*

to establish a training policy and implement it within 12 months of reissuance.

*F.6. The City will develop a procedure for assessing ponds to determine TSS and TP effectiveness as described in the Permit (Part III.D.6.d) This study will develop procedures for determining TSS and TP treatment effectiveness of city-owned ponds used for treatment of stormwater. A schedule will be implemented in years 2 thru 5.*

*F.7., The City will develop written procedures for inspection of structural stormwater BMPs, ponds and outfalls, and stockpile, storage and material handling areas as described in the Permit (Part III.D.6.f.). Procedures will be in place within 12 months following the date permit coverage is extended.*

*F.8., The City will develop and implement a stormwater management training program commensurate with each employees job duties as described in the Permit (Part III.D.6.g.). Procedures will be in place within 12 months following the date permit coverage is extended.*

*F.8., The City will develop written procedures to document inspections, maintenance, and training as described in the Permit (Part III.D.6.h.). Procedures will be in place within 12 months following the date permit coverage is extended.*

10. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

*Public Works/Engineering Staff*

## VI. Compliance Schedule for an Approved Total Maximum Daily Load (TMDL) with an Applicable Waste Load Allocation (WLA) (Part II.D.6.)

- A. Do you have an approved TMDL with a Waste Load Allocation (WLA) prior to the effective date of the Permit? ☐ Yes ☒ No

1. If **no**, continue to section VII.
2. If **yes**, fill out and attach the MS4 Permit TMDL Attachment Spreadsheet with the following naming convention: *MS4NameHere\_TMDL*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

## VII. Alum or Ferric Chloride Phosphorus Treatment Systems (Part II.D.7.)

- A. Do you own and/or operate any Alum or Ferric Chloride Phosphorus Treatment Systems which are regulated by this Permit (Part III.F.)? ☐ Yes ☒ No

1. If **no**, this section requires no further information.
2. If **yes**, you own and/or operate an Alum or Ferric Chloride Phosphorus Treatment System within your small MS4, then you must submit the Alum or Ferric Chloride Phosphorus Treatment Systems Form supplement to this document, with the following naming convention: *MS4NameHere\_TreatmentSystem*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

## VIII. Add any Additional Comments to Describe Your Program